

Track«man

The Original Positive Drive Track for Aftermarket Case IH

We're covering new ground with our all new re-engineered, industry-leading aftermarket lineup for Case IH tractors.

Trackman RowTech

Engineered Specifically to Withstand the Toughest Conditions

RowTech allows more time in the field and generates a higher yield. Designed for Case Rowtrac and New Holland SmartTrax machines, RowTech provides 70 percent more tread rubber than the previous design and offers increased damage resistance, improved ride quality, plus:

- Increased warranty period (4 years material and workmanship)
- Longer track life more tread rubber content
- > Wider, taller and more robust tread construction
- MAXXTUFF™- four layers of steel belting in the carcass
 - Highest concentration of steel belting reinforcement in the market
- Molded tread lugs for improved peel resistance
- > ARMORLUG® Technology for longer drive lug life
 - Uses dual, biased plies of continuous reinforcing fabric (No overlaps or splices)
 - Fabric reinforces all four sides of drive lugs
 - Fabric extends into the wheel path area providing added protection
 - Field-tested and proven performance extending drive lug life



More robust tread construction

70% more tread rubber

Continuous reinforcing fabric - no overlaps or splices



Improved wheel path rubber

Fully molded tread lugs

Longer drive lug life

New Design Drastically Reduces Vibration

High-performance Trackman XP maximizes drive lug life in high pull/draw bar applications. Its revolutionary anti-vibration technology reduces vibration, dramatically improving operator comfort in heavy pull operations.

- Improved wheel path rubber is formulated to minimize abrasion and puncture damage
- > Enhanced tread compounding provides higher load/speed capabilities, better abrasion resistance, cooler running
- MAXXTUFF™- four layers of steel belting in the carcass
 - Highest concentration of steel belting reinforcement in the market
- > Patented galvanized cable makes XP the most corrosion resistant track
- > Fully molded tread lugs for greater durability
- > ARMORLUG® Technology for longer drive lug life
 - Uses dual, biased plies of continuous reinforcing fabric (No overlaps or splices)
 - Fabric reinforces all four sides of drive lugs
 - Fabric extends into the wheel path area providing added protection
 - Field-tested and proven performance extending drive lug life



"A quadtrac customer was experiencing vibration issues under heavy load conditions. We installed Trackman XP and the vibration decreased significantly right away."

- Case IH Dealer

Enhanced anti-vibration carcass construction

The most corresion-resistant track

Trackman stx

The Future of Tread Compounding Today

Conceived from experience, enhanced for the future, Trackman STX offers improved tread compounding for higher load/speed capabilities, better abrasion resistance and cooler running.

- MAXXTUFF™-four layers of steel belting in the carcass
 - Highest concentration of steel belting reinforcement in the market
- > Patented galvanized cable provides the most abrasion-resistant track
- > Fully molded tread lugs for greater durability
- > ARMORLUG® Technology for longer drive lug life
 - Uses dual, biased plies of continuous reinforcing fabric (No overlaps or splices)
 - Fabric reinforces all four sides of drive lugs
 - Fabric extends into the wheel path area providing added protection
 - Field-tested and proven performance extending drive lug life

Patented galvanized cable

Drive lugs reinforced with ARMORLUG fabric

Four layers of steel belting in the carcass

The most abrasion-resistant track

Newly re-engineered Rubber Track

industry-first track durability.

What separates Trackman from any other manufacturer is that our tracks are engineered in conjunction with our cutting-edge undercarriage components, providing the only complemented system in the market. Combined with our in-depth rubber compounding knowledge and decades-long track experience, we're leading the way in



stops and idler wheels.

The Quadtrac® undercarriage relies solely on Continental Trackman for these critical rubber components: rubber mounts, roller wheels, bump

ARMORLUG® technology

- ARMORLUG® state-of-the-art reinforcement material is incorporated in the ARMORLUG® track construction to help you deal with the severe demands you face every day.
- Field tested with 23% track service life improvement versus standard production tracks.
- ARMORLUG® technology takes Positive Drive applications to the next level.



Trackman® Aftermarket Rubber Track Specification for Case IH Tractors

| Product Code | Vehicle | Description | Width (in.) | Length (in.) | # of Tread Lugs | Tread Pitch (in.) | Tread Lug Height (in.) | # of Guide Lugs | # of Wire Plies | Carcass Thickness (in.) | Ship Weight (lb.) |
|---------------------------|---------------------|---------------------------|----------------|-----------------|-----------------------|----------------------|---------------------------|-----------------------|-----------------------|-------------------------------|-------------------------|
| CASE IH 9300 | | | | | | | | | | | |
| 703611790 | CNH 9300 | Standard Ag. | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 3 | 1.25 | 997 |
| 703611810 | CNH 9300 | Scraper | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 4 | 1.25 | 1000 |
| CASE IH STX | | | | | | | | | | | |
| 703611830 | CNH STX | Standard Ag. | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 753 |
| 703611390 | CNH STX | Scraper with ARMORLUG® | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 806 |
| 703611840 | CNH STX | Ag. with ARMORLUG® | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1087 |
| 703615270 | CNH STX | XP Ag. | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1020 |
| 703615640 | CNH STX | XP Scraper with ARMORLUG® | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 703615280 | CNH STX | XP with ARMORLUG® | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1318 |
| CASE IH RowTr | ac & New Holland Sm | artTrax | | | | | | | | | |
| 703614960 | Rowtrac™/SmartTrax | RowTech™ with ARMORLUG®* | 16.5 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 753 |
| 703614970 | Rowtrac™/SmartTrax | RowTech™ with ARMORLUG®* | 18 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 806 |
| 703614980 | Rowtrac™/SmartTrax | RowTech™ with ARMORLUG®* | 24 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1087 |
| 703614990 | Rowtrac™/SmartTrax | RowTech™ with ARMORLUG®* | 30 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1218 |
| *Built with innovative MA | AXXTUFF technology | · | | | | | · | - | - | | - |

Continental

NAFTA Headquarters
703 S. Cleveland Massillon Road
Fairlawn, OH 44333-3023 U.S.A.
1-877-394-0482
FAX 1-800-525-0910
trackinguiries@contitech.us

Europe

+49 (0)511 938 02 mailservice@contitech.de

www.contitech.us



Engineering Next Level

As a division of the Continental Group, ContiTech is a recognized innovation and technology leader in natural rubber and plastics. As an industry partner with a firm future ahead of us, we engineer solutions both with and for our customers around the world. Our bespoke solutions are specially tailored to meet the needs of the market. With extensive expertise in materials and processes, we are able to develop cutting-edge technologies while ensuring we make responsible use of resources. We are quick to respond to important technological trends, such as function integration, lightweight engineering and the reduction of complexity, and offer a range of relevant products and services. That way, when you need us, you'll find we're already there.

Trackman® is a registered trademark of Continental ContiTech.

Case IH and Quadtrac® are registered trademarks of CNH America LLC.

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates.

Copyright © 2016 ContiTech AG. All rights reserved.

For complete information go to: www.contitech.de/discl_en



Today's largest, most powerful tractors demand tougher track. That's why Case IH® chose Trackman® to create the world's first positive-drive track. And we continue to deliver groundbreaking innovations resulting in the most rugged track out there. Without question, our track and undercarriage components handle more horsepower and deliver better traction to pull more weight. That means Trackman can take on today's heaviest, most powerful tractors with total confidence.

Trackman®

Case IH® Tractors Quadtrac,® Quadtrac® Rowtrac,™ Magnum™ Rowtrac™ and New Holland SmartTrax™



World's Strongest Drive Lugs

ARMORLUG® ULTRA is the first patented drive lug with three fabric layers embedded in the lugs.

Easily handles today's biggest, most powerful tractors and is designed to take on more.

Lasts as much as 30% longer than any other positive-drive track.

Trackman® RowTech™

for greater damage resistance and improved ride quality.

Built with four layers of MAXXTUFF™ steel belting in the carcass - the highest concentration of steel belting reinforcement in the market.

Heavy

Features 70% more tread rubber

Up to 70% Reduction in Vibration



Heavy Draw Bar Use

Standard Track
Trackman XP

Our exclusive Anti-Vibration Technology™ and advanced tread design greatly reduces vibration by as much as 50% to 70% versus standard tracks.

Compound and construction improves drive lug engagement, reduces drive lug distress and extends track life.

Constructed for Longer Life

Fully molded lugs deliver unsurpassed durability and longevity.

Wire-ply construction with 50% more wires per inch than our competition.

Patented galvanized cables prevent corrosion and premature weakness.





TRACKMAN® RUBBER TRACK SPECIFICATIONS FOR CASE IH® TRACTORS

| CNH Part Number | Vehicle | Description | Warranty | Width (in.) | Length (in.) | # of Tread Lugs | Tread Pitch (in.) | Tread Lug Height (in.) | # of Guide Lugs | # of Wire Plies | Carcass Thickness (in.) | Ship Weight (lb) |
|--------------------|-----------------------------|--|----------|----------------|-----------------|-----------------------|-------------------------|------------------------------|-----------------------|-----------------------|-------------------------------|------------------------|
| Case IH 930 | 0 | | | | | | | | | | | |
| 256800A2 | CNH 9300 | Trackman® Ag | 4-year | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 3 | 1.25 | 999 |
| 386848A1 | CNH 9300 | Trackman® Scraper | 2-year | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 4 | 1.25 | 997 |
| Case IH Qua | adTrac® | | | | | | | | | | | |
| 51457436 | CNH Quadtrac® | Trackman® XP | 4-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1058 |
| 51457437 | CNH Quadtrac® | Trackman® XP | 4-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1251 |
| 47826945 | CNH Quadtrac® | Trackman® XP + ARMORLUG® | 4-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 47829015 | CNH Quadtrac® | Trackman® XP + ARMORLUG® Scraper | 2-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 47829014 | CNH Quadtrac® | Trackman® XP + ARMORLUG® | 4-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1318 |
| 84379424 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA | 5-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 84379427 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA Scraper | 3-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 84379425 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA | 5-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1318 |
| Case IH Rov | vtrac™/New Holland SmartTra | ax™ | | | | | | | | | | |
| 47801555 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 16.5 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 753 |
| 47801556 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 18 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 797 |
| 47801558 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 24 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1089 |
| 47801559 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 30 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1218 |



Just like our track, our warranty is second to none.

In accordance with the Continental Trackman® Rubber Track warranty, the track is covered against material and/or workmanship defects. For complete warranty information, contact your rubber track dealer or visit our website at www.continental-trackman.com.





Today's largest, most powerful tractors demand tougher track. That's why Case IH® chose Trackman® to create the world's first positive-drive track. And we continue to deliver groundbreaking innovations resulting in the most rugged track out there. Without question, our track and undercarriage components handle more horsepower and deliver better traction to pull more weight. That means Trackman can take on today's heaviest, most powerful tractors with total confidence.

Trackman®

Case IH® Tractors
Quadtrac,®
Quadtrac,™
Magnum™ Rowtrac™ and
New Holland SmartTrax™



World's Strongest Drive Lugs

ARMORLUG® ULTRA is the first patented drive lug with three fabric layers embedded in the lugs.

Easily handles today's biggest, most powerful tractors and is designed to take on more.

Lasts as much as 30% longer than any other positive-drive track.


Trackman® RowTech™

for greater damage resistance and improved ride quality.

Built with four layers of MAXXTUFF™ steel belting in the carcass - the highest concentration of steel belting reinforcement in the market.

Features 70% more tread rubber

Up to 70% Reduction in Vibration



Heavy Draw Bar Use

Standard Track
Trackman XP

Our exclusive Anti-Vibration Technology™ and advanced tread design greatly reduces vibration by as much as 50% to 70% versus standard tracks.


Compound and construction improves drive lug engagement, reduces lug distress and extends track life.

Constructed for Longer Life

Fully molded lugs deliver unsurpassed durability and longevity.

Wire-ply construction with 50% more wires per inch than our competition.

Patented galvanized cables prevent corrosion and premature weakness.






TRACKMAN® RUBBER TRACK SPECIFICATIONS FOR CASE IH® TRACTORS

| Product Code | Vehicle | Description | Warranty | Width (in.) | Length (in.) | # of Tread Lugs | Tread Pitch (in.) | Tread Lug Height (in.) | # of Guide Lugs | # of Wire Plies | Carcass Thickness (in.) | Ship Weight (lb) |
|-----------------|-----------------------------|--|----------|----------------|-----------------|-----------------------|-------------------------|------------------------------|-----------------------|-----------------------|-------------------------------|------------------------|
| Case IH 93 | 00 | | | | | | | | | | | |
| 611790 | CNH 9300 | Trackman® Ag | 4-year | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 3 | 1.25 | 999 |
| 611810 | CNH 9300 | Trackman® Scraper | 2-year | 30 | 234 | 78 | 6.0 | 2.0 | 39 | 4 | 1.25 | 997 |
| Case IH Qu | adTrac [®] | | | | | | | | | | | |
| 616850 | CNH Quadtrac® | Trackman® XP | 4-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1020 |
| 616860 | CNH Quadtrac® | Trackman® XP | 4-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 3 | 1.25 | 1318 |
| 615270 | CNH Quadtrac® | Trackman® XP + ARMORLUG® | 4-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1020 |
| 615640 | CNH Quadtrac® | Trackman® XP + ARMORLUG® Scraper | 2-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 615280 | CNH Quadtrac® | Trackman® XP + ARMORLUG® | 4-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1318 |
| 616260 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA | 5-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1020 |
| 611980 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA Scraper | 3-year | 30 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1079 |
| 612570 | CNH Quadtrac® | Trackman® XP + ARMORLUG® ULTRA | 5-year | 36 | 252 | 84 | 6.0 | 2.0 | 42 | 4 | 1.25 | 1318 |
| Case IH Ro | wtrac™/New Holland SmartTra | ax™ | | | | | | | | | | |
| 614960 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 16.5 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 753 |
| 614970 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 18 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 797 |
| 614980 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 24 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1034 |
| 614990 | CNH Rowtrac™/ SmartTrax™ | Trackman® RowTech™ + ARMORLUG® | 4-year | 30 | 264 | 88 | 6.0 | 1.75 | 44 | 4 | 1.5 | 1218 |



Just like our track, our warranty is second to none.

In accordance with the Continental Trackman® Rubber Track warranty, the track is covered against material and/or workmanship defects. For complete warranty information, contact your rubber track dealer or visit our website at www.continental-trackman.com.






The NEW Trackman XP line of tracks comes standard on the 2019 Quadtrac. Our partnership with Case runs deep because together we bring new innovations and set new standards. And we'll continue to deliver groundbreaking innovations in every track we make.

DESIGNED TO BE STRONGER, LAST LONGER AND RIDE SMOOTHER

FULLY-MOLDED IS STRONGER


- Fully-molded track equals tougher, longer-lasting track
- Non fully-molded has built-in weak points that can lead to early deterioration and failure

On top of longer life, you get a more consistent rubber thickness which leads to greater stability and a smoother ride.



UP TO 70% REDUCTION IN VIBRATION

- Our exclusive Anti-Vibration Technology™ and advanced tread design on our XP track greatly reduces vibration by as much as 50% to 70% vs. standard track



- Compound and construction improves drive lug engagement, reduces drive lug distress and extends track life

CONSTRUCTED FOR LONGER LIFE

weakness

- Wire-ply construction with 50% more wires per inch than our competition

- Patented galvanized steel cables

All this adds up to a track that

will last season after season,

even under the heaviest load.

prevent corrosion and premature

Our tread design also maximizes traction and dirt cleanout for improved performance.

Track«man

OUTWORKS. OUTLASTS. OUTPERFORMS. OUT HERE.

Ontinental



Track«man | XP

STANDARD ON QUADTRAC'S LESS THAN 580HP

Continental Trackman XP has been designed to handle more horsepower and deliver better traction to pull more weight.

Our XP track delivers:

- Improved track life that outlasts other tracks
- Reduced vibration for improved ride and operator comfort
- New wheel path compound is formulated to minimize abrasion and punctures



Trackeman | XP

STANDARD ON QUADTRAC'S 580HP AND GREATER

It has been thoroughly field-tested to deliver proven performance in the toughest conditions and outperform any other track of its kind.

Includes all XP track features, plus:

- Exclusive ARMORLUG® technology extends the life of the track up to 23% more over the standard track
- Reinforcement fabric covers the entire drive lug and extends into the wheel path for added drive lug protection
- 4-year best-in-class limited manufacturer warranty



Trackman | XP

HAULS THE HEAVIEST LOADS AT MAX HORSEPOWER AND TORQUE

Designed to take on more, thanks to its patented drive lug with three fabric layers embedded in the lugs for unmatched durability.

Includes all XP track features, plus:

- First patented drive lug with three fabric layers embedded in the lugs
- Offers up to a 25% increase in torque capability
- Lasts as much as 30% longer than other positive-drive track
- 5-year best-in-class limited manufacturer warranty

| Case Part # | Track | Continental Part # | Width (inches) | MAXXTUFF™ Layers |
|-------------|------------------------------------|--------------------|----------------|------------------|
| 51457436 | Trackman XP | 616850 | 30 | 3 |
| 51457437 | Trackman XP | 616860 | 36 | 3 |
| 47826945 | Trackman XP with ARMORLUG | 615270 | 30 | 4 |
| 47829014 | Trackman XP with ARMORLUG | 615280 | 36 | 4 |
| 47829015 | Trackman XP with ARMORLUG SC | 615640 | 30 | 4 |
| 84379424 | Trackman XP with ARMORLUG Ultra | 616260 | 30 | 4 |
| 84379425 | Trackman XP with ARMORLUG Ultra | 612570 | 36 | 4 |
| 84379427 | Trackman XP with ARMORLUG Ultra SC | 611980 | 30 | 4 |

Continental

703 S. Cleveland Massillon Road Fairlawn, OH 44333-3023 U.S.A. 1-877-394-0482 continental-trackman.com

