

KUMHO TYRE

All-Ways. Go With you

2021/2022 Application Chart

Medium / Heavy Radial Truck & Bus Tyre for Europe



NEW

Fuel Saving Tyres

Fuel Saving / Longhaul

Fuel Saving Longhaul

Conventional Longhaul

STEER



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Low rolling resistance with EU label grade „A“
- Excellent fuel efficiency for lower cost per kilometer
- Minimized irregular wear
- Can be used all year round with 3PMSF and M+S

Sizes	Load Index	Speed Index
385/55 R22.5	160	K

DRIVE



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Low rolling resistance with EU label grade „B“
- Fuel efficient, lower cost per kilometer
- All season capable with 3PMSF and M+S

Sizes	Load Index	Speed Index
315/70 R22.5	154/150	L

TRAILER



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Low rolling resistance with EU label grade „A“
- Excellent fuel efficiency for lower cost per kilometer
- Improved driving stability
- Can be used all year round with 3PMSF and M+S

Sizes	Load Index	Speed Index
385/55 R22.5	160	K

STEER



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Suitable for longhaul driving
- Low rolling resistance

Sizes	Load Index	Speed Index
315/80 R22.5	156/150	L
385/65 R22.5	160	K
385/65 R22.5	164	K
385/55 R22.5	160	J

DRIVE



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Suitable for longhaul driving
- Low rolling resistance
- Enhanced regular wear

Sizes	Load Index	Speed Index
315/80 R22.5	156/150	L
315/70 R22.5	154/150	L
295/60 R22.5	150/147	K

TRAILER



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Suitable for longhaul driving
- Low rolling resistance
- Outstanding wet grip performance
- Cool running

Sizes	Load Index	Speed Index
385/65 R22.5	160	K
385/55 R22.5	160	J
435/50 R19.5	160	J
445/45 R19.5	160	J

● = 5 Ribs

ALL POSITION



Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Super single radial tyre
- Available in winter application
- Available all position

Sizes	Load Index	Speed Index
425/65 R22.5	165	K
385/65 R22.5	160	K



Multi Performance / Regional



Multi Performance

Regional

STEER



DRIVE



TRAILER



STEER



DRIVE



TRAILER



KXS10

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Outstanding mileage performance
- High wet grip performance
- Available in winter application
- Premium retreadability



KXD10

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Outstanding mileage performance
- Enhanced braking performance
- Available in winter application
- Improved traction performance
- Enhanced regular wear



KXT10

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Prevents irregular wear

Sizes	Load Index	Speed Index
315/80 R22.5	156/150	L
295/80 R22.5	152/148	M
295/80 R22.5	154/149	L ★
315/70 R22.5	156/150	L ★
315/60 R22.5	154/148	L ★

Sizes	Load Index	Speed Index
315/80 R22.5	156/150	L
295/80 R22.5	152/148	M
295/80 R22.5	154/149	L
315/70 R22.5	154/150	L
285/70 R19.5	146/144	M
245/70 R19.5	136/134	M ★

Sizes	Load Index	Speed Index
385/65 R22.5	160	K
385/55 R22.5	160	K



KRS50

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Available extra load size
- High mileage performance
- Premium retreadability

Sizes	Load Index	Speed Index
295/80 R22.5	154/149	M ★
315/80 R22.5	158/150	L ★
295/80 R22.5	152/148	M
315/70 R22.5	156/150	L ★
385/65 R22.5	160	K
385/65 R22.5	164	K ★
265/70 R19.5	140/138	M
245/70 R19.5	137/135	M
225/75 R17.5	129/127	M
215/75 R17.5	126/124	M
215/75 R17.5	128/126	M
205/75 R17.5	124/122	M



KRD50

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- High mileage performance
- Improved traction performance
- Enhanced braking performance
- Available in winter application

Sizes	Load Index	Speed Index
315/80 R22.5	156/150	L
295/80 R22.5	152/148	M
315/70 R22.5	154/150	L
315/60 R22.5	152/148	L
295/60 R22.5	150/147	K
12 R22.5	148/152	L
265/70 R19.5	140/138	M
245/70 R19.5	137/135	M
225/75 R17.5	129/127	M
215/75 R17.5	126/124	M
205/75 R17.5	124/122	M



KRT03

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Prevents irregular wear

Sizes	Load Index	Speed Index
285/70 R19.5	150/148	J
265/70 R19.5	143/141	J
245/70 R19.5	143/141	J
235/75 R17.5	143/141	J
215/75 R17.5	136/133	J
245/70 R17.5	143/141	J
205/65 R17.5	129/127	J
9.5 R17.5	143/141	J

ALL POSITION



KXA10

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Outstanding mileage performance
- High wet grip performance
- Available in winter application
- Available all position

Sizes	Load Index	Speed Index
285/70 R19.5	146/144	M
245/70 R19.5	136/134	M ★

Mixed



ALL POSITION



DRIVE



KMA11

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Anti heat tread

Sizes	Load Index	Speed Index
13 R22.5 156/150	K	



KMA31

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Super single

Sizes	Load Index	Speed Index
315/80 R22.5 156/150	K	



KMD31

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Improved on & off-road capability

Sizes	Load Index	Speed Index
13 R22.5 156/150	K	

Off Road



DRIVE



KFD04

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Improved off-road capability

Sizes	Load Index	Speed Index
13 R22.5 154/149	K	
12 R22.5 152/148	J	

City Transit



ALL POSITION



KCA03

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Available all position
- High traction performance
- High mileage performance

Sizes	Load Index	Speed Index
295/80 R22.5 154/149	J	
275/70 R22.5 150/145	J	

Winter



DRIVE



KWD01

Fuel Efficiency



Traction



Winter Condition



Feature

- Available for severe winter condition
- Improved resistance to aquaplaning
- Improved grip in wet & snow conditions

Sizes	Load Index	Speed Index
315/80 R22.5 154/150	M	
295/80 R22.5 152/148	L	
315/70 R22.5 154/150	L	

ALL POSITION



KMA12

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Super single

Sizes	Load Index	Speed Index
385/65 R22.5 160	K	



KMA02

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Super single

Sizes	Load Index	Speed Index
445/65 R22.5 169	K	
425/65 R22.5 165	K	
385/65 R22.5 158	L	



KMD51

Fuel Efficiency



Traction



Cut & Chip Resistance



Feature

- Cut & chip resistance compound
- Improved on & off-road capability

Sizes	Load Index	Speed Index
315/80 R22.5 156/150	K	



KWA03

Fuel Efficiency



Traction



Winter Condition



Feature

- Available all position
- Available for severe winter condition
- Good traction

Sizes	Load Index	Speed Index
315/80 R22.5 156/150	K	
295/80 R22.5 154/149	M	
315/70 R22.5 154/150	L	
385/65 R22.5 158	L	
385/55 R22.5 160	J	

• = 4 Ribs

Size Selection Guide

Pattern	Size	Load Index	Speed Index	Fuel Saving Longhaul				Multi-Perf.				Regional			Mixed Service		Off Road	Winter		City Transit	EU-Labeling			
				Steer	Drive	Trailer	All position	Steer	Drive	Trailer	All position	Steer	Drive	Trailer	All position	Drive	Drive	All position	Drive	All position	RR	WET	N	dB
NEW KLS23	385/55 R22.5	160	K	●																	A	C	1	71
	315/80 R22.5	156/150	L	●																	D	C	1	69
KLS03	385/65 R22.5	160	K	●																	C	B	1	69
	385/65 R22.5	164	K	●																	C	B	1	69
	385/55 R22.5	160	J	●																	C	B	1	69
	315/70 R22.5	154/150	L		●																B	C	1	73
NEW KLD23	315/80 R22.5	156/150 (154/150)	L (M)		●																C	C	2	73
	315/70 R22.5	154/150 (152/148)	L (M)		●																C	C	2	73
KLD03	295/60 R22.5	150/147 (149/146)	K (L)		●																D	C	2	73
	385/55 R22.5	160	K			●															A	C	1	71
	385/65 R22.5	160	K			●															C	B	2	73
	385/55 R22.5	160	J			●															C	B	2	74
KLT23	435/50 R19.5	160	J			●															C	B	2	74
	445/45 R19.5	160	J			●															C	B	2	74
	425/65 R22.5	165	K				●														C	B	1	70
	385/65 R22.5	160	K				●														C	C	1	70
KLA11	315/80 R22.5	156/150 (154/150)	L (M)					●													D	C	2	74
	295/80 R22.5	152/148	M					●													D	B	1	73
	295/80 R22.5	154/149	L					●													D	B	1	72
	315/70 R22.5	156/150	L					●													C	C	1	73
	315/60 R22.5	154/148	L					●													C	B	1	73
	315/80 R22.5	156/150 (154/150)	L (M)						●												D	C	2	76
KXD10	295/80 R22.5	152/148	M						●												E	B	2	76
	295/80 R22.5	154/149	L						●												D	B	2	75
	315/70 R22.5	154/150	L						●												D	C	2	76
	285/70 R19.5	146/144	M						●												D	C	2	75
	245/70 R19.5	136/134	M						●												-	-	-	-
	385/65 R22.5	160	K							●											C	A	2	73
KXT10	385/55 R22.5	160	K							●											C	A	2	73
	285/70 R19.5	146/144	M								●										C	B	1	69
KXA10	245/70 R19.5	136/134	M								●										-	-	-	-
	315/80 R22.5	158/150	L									●									C	C	2	71
KRS50	295/80 R22.5	154/149	M									●									D	B	2	71
	315/70 R22.5	156/150 (152/148)	L (M)									●									D	C	2	71
	385/65 R22.5	164	K									●									C	B	2	71
	385/65 R22.5	160	K									●									C	B	2	71
	265/70 R19.5	140/138	M									●									D	C	2	71
	245/70 R19.5	137/135	M									●									D	C	2	71
	225/75 R17.5	129/127	M									●									D	B	2	71
	215/75 R17.5	128/126	M									●									D	B	2	71
	215/75 R17.5	126/124	M									●									D	B	2	71
	205/75 R17.5	124/122	M									●									E	C	2	71
	305/70 R22.5	152/148	L									●									D	B	2	73
	275/70 R22.5	148/145	M									●									D	B	2	73
KRS03	315/60 R22.5	152/148	L									●									C	B	2	74
	295/60 R22.5	150/147 (149/146)	K (L)									●									C	B	2	73
	305/70 R19.5	148/145	M									●									D	B	2	73
	285/70 R19.5	146/144	M									●									D	B	2	73
	235/75 R17.5	132/130	M									●									E	B	2	73
	9.5 R17.5	129/127	L									●									E	C	2	73
	8.5 R17.5	121/120	M									●									E	B	2	73
	275/80 R22.5	149/146	L									●									D	B	1	69
	255/70 R22.5	140/137	M									●									D	B	1	69
	10 R22.5	141/139	M									●									D	B	1	69
KRS02	7.50 R16	121/120	M									●									C	A	2	71
	7.00 R16	113/112	M									●									D	B	2	71
	6.50 R16	108/107	M									●									D	C	1	67
	315/80 R22.5	156/150 (154/150)	L (M)										●								D	C	1	73
	295/80 R22.5	152/148	M										●								D	C	1	73
	315/70 R22.5	154/150 (152/148)	L (M)										●								D	C	1	73
KRD50	315/60 R22.5	152/148	L										●								D	B	1	73
	295/60 R22.5	150/147 (149/146)	K (L)										●								D	C	1	73
	12 R22.5	148/152	L										●								E	C	1	73
	265/70 R19.5	140/138	M										●								E	C	2	73
	245/70 R19.5	137/135	M										●								D	C	1	73
	225/75 R17.5	129/127	M										●								E	C	1	72
	215/75 R17.5	126/124	M										●								E	C	1	73
	205/75 R17.5	124/122	M										●								E	C	1	73
	315/80 R22.5	156/150 (154/150)	L (M)											●							D	C	1	73
	295/80 R22.5	152/148	M											●							D	C	1	73

Size Selection Guide

Pattern	Size		Load Index	Speed Index	Fuel Saving Longhaul				Multi-Perf.				Regional			Mixed Service		Off Road	Winter		City Transit	EU-Labeling			
					Steer	Drive	Trailer	All position	Steer	Drive	Trailer	All position	Steer	Drive	Trailer	All position	Drive	Drive	All position	Drive	All position	RR	WET	N	dB
KRD02	305/70	R22.5	152/148 (150/148)	L (M)										●								E	B	2	76
	275/70	R22.5	148/145	M										●								E	B	2	76
	305/70	R19.5	148/145	M										●								E	C	2	76
	285/70	R19.5	145/143	M										●								E	C	2	76
	235/75	R17.5	132/130	M										●								E	B	2	76
	9.5	R17.5	129/127	L										●								E	B	2	76
	8.5	R17.5	121/120	M										●								E	B	2	76
KRT03	285/70	R19.5	150/148	J											●							D	C	2	73
	265/70	R19.5	143/141	J											●							D	B	2	71
	245/70	R19.5	143/141	J											●							D	B	2	72
	235/75	R17.5	143/141	J											●							D	B	2	71
	215/75	R17.5	135/133	J											●							D	B	2	71
	245/70	R17.5	143/141	J											●							D	B	2	73
	205/65	R17.5	129/127	J											●							D	B	2	73
	9.5	R17.5	143/141	J											●							D	B	2	73
KMA11	13	R22.5	156/150	K												●						D	B	2	74
KMA12	385/65	R22.5	160	K												●						D	B	2	74
KMA31	315/80	R22.5	156/150	K												●						D	C	2	72
KMA03	315/80	R22.5	156/150	K												●						D	A	2	71
	295/80	R22.5	152/148	K												●						D	B	2	72
	12	R22.5	152/148	K												●						D	B	2	71
KMA02	445/65	R22.5	169	K												●						C	A	2	72
	425/65	R22.5	165	K												●						C	A	2	72
	385/65	R22.5	158	L												●						C	A	2	72
KMA01	265/70	R19.5	143/141	J												●						D	B	1	70
KMD31	13	R22.5	156/150	K													●					E	B	2	74
KMD41	295/80	R22.5	152/148	K													●					E	B	2	75
KMD51	315/80	R22.5	156/150	K													●					E	C	2	76
KMD01	315/80	R22.5	156/150	K													●					E	A	2	76
	12	R22.5	152/148	K													●					D	B	2	76
KFD04	13	R22.5	154/149	K														●				D	B	2	74
	12	R22.5	152/148	J														●				E	C	2	74
KWA03	315/80	R22.5	156/150	K															●			D	B	2	72
	295/80	R22.5	154/149	M															●			D	C	2	73
	315/70	R22.5	154/150	L															●			E	C	2	72
	385/65	R22.5	158 (160)	L (J)															●			D	B	2	72
	385/55	R22.5	160	J															●			D	B	2	72
KWD01	315/80	R22.5	154/150	M																●		E	C	2	73
	315/70	R22.5	154/150	L																●		E	C	2	74
	295/80	R22.5	152/148	L																●		E	B	2	73
KCA03	295/80	R22.5	154/149	J																	●	D	C	2	73
	275/70	R22.5	150/145	J																	●	D	B	1	73

Europe



OVERSEAS SALES CORPORATIONS

SALES GERMANY
BRUESSELER PLATZ 1, 63067 OFFENBACH AM MAIN, GERMANY
T 49-69-9433-180 F 49-69-490-067
www.kumhotire.de

SALES U.K.
SUITE 6, HILTON HOUSE, CORPORATION STREET
RUGBY, WARWICKSHIRE, CV21 2DN, UK
T 44-1788-820-200 www.kumhotyre.co.uk

SALES FRANCE
BAT LE ART'VAL PARIS NORD 2,
9 RUE DES TROIS SOEURS, BP 42030 VILLEPINTE
95912 ROISSY C.D.G. CEDEX, FRANCE
T 33-01-4938-0538 F 33-01-4938-0895
www.kumhotire.fr

OVERSEAS BRANCHES & OFFICES

MILANO
11 SS PADANA SUPERIORE 2/B
20063 CERNUSCO SUL NAVIGLIO (MI), ITALY
T 39-02-9210-6688 F 39-02-9210-7523
www.kumho.it

MADRID
P.E.ALVIA EDIFICIO 3, PLANTA2, OFICINA 3 CALLE
JOSE ECHEGARAY, 8, 28232 LAS ROZAS, MADRID, SPAIN
T 34-916-366-621 F 34-91-640-5373
www.kumhotire.es

VIENNA
HELMUT-QUALTINGER-GASSE 2/7, 1030 WIEN, AUSTRIA
T 43-1-796-2755-32 F 43-1-796-27-55-91
www.kumhotire.at

MOSCOW
OFFICE 603, ENTRANCE 3, WORLD TRADE CENTER,
KRASNOPRESNENSKAYA NAB., 12. 123610 MOSCOW, RUSSIA
T 7-495-258-1133 www.kumhotyres.ru

NORTHERN EUROPE
BRUESSELER PLATZ 1, 63067 OFFENBACH AM MAIN, GERMANY
T 49-69-9433-1851 F 49-69-490-067

KUMHO TYRE

All-ways, Go With you

R & D CENTER

KUMHO EUROPE TECHNICAL CENTER
STARKENBURG STR. 10,
64546 MOERFELDEN-WALLDORF,
GERMANY
T 49-6105-979-360 F 49-6105-979-3690